

**InSpec QT**

Revision Date: 2023-10-10

Revision No. 7.0/EN

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product Identifier**

**Trade Name:** InSpec QT  
InSpec QT Burstable Wipes  
InSpec QT Burstable Mops  
**Product Number:** -  
**UFI:** 4E00-V04G-D00T-CCMX

**1.2 Relevant identified uses of the substance or mixture and used advised against**

**Identified Uses:** Ready-to-use disinfectant with cleaning properties (for professional use only).

**1.3 Details of the supplier of the safety data sheet**

Redditch Medical (a division of Entaco Ltd), Unit 90 Heming Rd, Washford, Redditch, B98 0EA, United Kingdom.

**Contact Details**

Redditch Medical (a division of Entaco Ltd),  
Discovery 2, 2 William Armstrong Way,  
NETPark, Sedgefield,  
Co Durham, TS21 3FD, UK.  
Telephone number: +44 (0) 1527 830940  
Email: [products@redditchmedical.com](mailto:products@redditchmedical.com)

EU Representative: Enviresearch Portugal Limitada  
Address: Edifício Amoreiras Square,  
Rua Carlos Alberto da Mota Pinto,  
17, 3º A, 1070 - 313 LISBOA  
Portugal

**1.4 Emergency telephone number**

For medical or environmental emergency only:  
Call + 44 (0) 1527 830940 (office hours, UK)  
+ 44 (0) 7377 544472 (out-of-office hours, UK)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

The product has been classified and labelled in accordance with Regulation (EC) No 1272/2008.

**Physical hazards:** Not classified.

**Health hazards:** Skin irritation, Category 2 (H315).  
Eye Irritation, Category 2 (H319).

**Environmental hazards:** Not classified.

## 2.2 Label elements

### Pictograms:



**Signal Word:** Warning.

### Hazard Statements:

- H315: Causes skin irritation.
- H319: Causes serious eye irritation.

### Precautionary Statements:

- P264: Wash skin thoroughly after handling.
- P280: Wear protective gloves / protective clothing / eye protection / face protection.
- P302 + P352: IF ON SKIN: Wash with plenty of water.
- P332 + P313: If skin irritation occurs: Get medical advice/attention.
- P337 + P313: If eye irritation persists: Get medical advice/attention.
- P362 + P364: Take off contaminated clothing and wash it before reuse.

## 2.3 Other hazards

No other hazards known. The product does not contain components which are known to meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

# SECTION 3: Composition/information on ingredients

## 3.1 Substances

The product is a mixture (see sub-section 3.2 of this Safety Data Sheet).

## 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification according Regulation (EU) No 1272/2008 (CLP)	Notes	Content (% w/w)
Didecyldimethyl-ammonium chloride	230-525-2	7173-51-5	01-2119945987-15-XXXX	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	< 1
Potassium carbonate	209-529-3	584-08-7	01-2119532646-36-XXXX	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	-	<1
2-Aminoethanol	205-483-3	141-43-5	01-2119486455-28-XXXX	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1B (H314)	-	< 1

Propan-2-ol	200-661-7	67-63-0	01-2119457558-25-XXXX	Flam. Liq. (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336)	-	< 1
-------------	-----------	---------	-----------------------	--	---	-----

**Additional information:**

For full text of Hazard (H) statements see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- Inhalation:** Get medical attention / advice if affected person feels unwell.
- Skin contact:** Remove / Take off immediately all contaminated clothing. Rinse skin with plenty of soap and water / shower. Get medical attention / advice if affected person feels unwell.
- Eye contact:** Immediately rinse cautiously with water, also under the eyelids, for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists get medical attention / advice.
- Ingestion:** Do NOT induce vomiting. Rinse mouth with water and drink plenty of water afterwards. Never give anything by mouth to an unconscious person. Get medical attention / advice if affected person feels unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

- Inhalation:** No information available.
- Skin contact:** No information available.
- Eye contact:** No information available.
- Ingestion:** No information available.
- General Information:** No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing material: Dry powder, water spray, foam.

### 5.2 Special hazards arising from the substance or mixture

Heating or fire can release toxic gas.

### 5.3 Advice for firefighters

As in the event of any fire, wear self-contained breathing apparatus and suitable personal protective equipment. Use water spray to cool unopened containers.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use respirator when performing operations involving potential exposure to vapour of the product.

### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water.

### 6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite) and place in a suitable container for disposal according to local / national regulations.

### 6.4 Reference to other sections

For personal protective equipment see sub-section 8.2 of this Safety Data Sheet. For disposal considerations on see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

**Measure for protection of human health:** Avoid contact with skin and eyes. Provide sufficient air exchange and / or exhaust in work rooms.

**Measures to prevent fires and explosions:** Take precautionary measures against static discharges.

**Advice on general occupational hygiene:** Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and at the end of the work day. Wash face, hands and any exposed skin thoroughly after handling. Use with adequate ventilation.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep container tightly closed and do not store in heat or direct sunlight.

Store in a dry, cool and well-ventilated area. For conditions to avoid see sub-section 10.4 of this Safety Data Sheet.

### 7.3 Specific end use(s)

No additional information.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Workplace exposure limits:**

Air limit values, if available:

Ingredient(s) / Country	Long term exposure limit (8 hour TWA)	Short term exposure limits (STEL)	Reference / Legal Basis
<b>2-Aminoethanol</b>			
European Union	1 ppm (2.5 mg/m <sup>3</sup> )	3 ppm (7.6 mg/m <sup>3</sup> )*	IOELV / BOELV; commission Directive 2006/15/EC
United Kingdom	1 ppm (2.5 mg/m <sup>3</sup> )	3 ppm (7.6 mg/m <sup>3</sup> )	UK EH40 WEL; Workplace Exposure Limits
Austria	1 ppm (2.5 mg/m <sup>3</sup> )	3 ppm (7.6 mg/m <sup>3</sup> )	MAK / TRK; Austrian OEL Regulation
Belgium	1 ppm (2.5 mg/m <sup>3</sup> )	3 ppm (7.6 mg/m <sup>3</sup> )	VLEP / GWBB
Denmark	1 ppm (2.5 mg/m <sup>3</sup> )	2 ppm (5 mg/m <sup>3</sup> )	Arbejdstilsynet; Executive Order on Limit Values for Substances and Materials (Denmark)
Finland	1 ppm (2.5 mg/m <sup>3</sup> )	3 ppm (7.6 mg/m <sup>3</sup> )	HTO-arvot 2016, Ministry of Social Affairs and Health (Finland)
France	1 ppm (2.5 mg/m <sup>3</sup> )	3 ppm (7.6 mg/m <sup>3</sup> )	Restrictive statutory limit values; French Labour code / French Labour Ministry
Germany	0.2 ppm – AGS (0.5 mg/m <sup>3</sup> - AGS) <sup>†</sup> / 0.2 ppm – DFG (0.51 mg/m <sup>3</sup> – DFG) <sup>†</sup>	0.2 ppm – AGS (0.5 mg/m <sup>3</sup> – AGS) <sup>†*</sup> / 0.2 ppm – DFG (0.51 mg/m <sup>3</sup> – DFG) <sup>†*</sup>	DFG; Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area AGS; German Committee on Hazardous Substances
Hungary	2.5 mg/m <sup>3</sup>	7.6 mg/m <sup>3</sup>	Hungarian decree No. 25/2000 (IX.30)

Ireland	1 ppm (2.5 mg/m <sup>3</sup> )	3 ppm (7.6 mg/m <sup>3</sup> )*	Health and Safety Authority – Code of Practice for the Chemical Agents Regulation (Ireland)
Spain	1 ppm (2.5 mg/m <sup>3</sup> )	3 ppm (7.6 mg/m <sup>3</sup> )	Limit Values Spain, Royal Decree 374/2001
<b>Propan-2-ol</b>			
European Union	n/a	n/a	IOELV / BOELV; commission Directive 2006/15/EC
United Kingdom	400 ppm (999 mg/m <sup>3</sup> )	500 ppm (1250 mg/m <sup>3</sup> )	UK EH40 WEL; Workplace Exposure Limits
Austria	200 ppm (500 mg/m <sup>3</sup> )	500 ppm (1230 mg/m <sup>3</sup> )	MAK / TRK; Austrian OEL Regulation
Belgium	200 ppm (500 mg/m <sup>3</sup> )	400 ppm (1000 mg/m <sup>3</sup> )	VLEP / GWBB
Denmark	200 ppm (490 mg/m <sup>3</sup> )	400 ppm (980 mg/m <sup>3</sup> )	Arbejdstilsynet; Executive Order on Limit Values for Substances and Materials (Denmark)
Finland	200 ppm (500 mg/m <sup>3</sup> )	250 ppm (620 mg/m <sup>3</sup> )*	HTO-arvot 2016, Ministry of Social Affairs and Health (Finland)
France	n/a	400 ppm (980 mg/m <sup>3</sup> )	VLE; French Labour code / French Labour Ministry
Germany	200 ppm – AGS (500 mg/m <sup>3</sup> - AGS) / 200 ppm – DFG (500 mg/m <sup>3</sup> – DFG)	400 ppm – AGS (1000 mg/m <sup>3</sup> – AGS)* / 400 ppm – DFG (1000 mg/m <sup>3</sup> – DFG)	DFG; Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area AGS; German Committee on Hazardous Substances
Hungary	500 mg/m <sup>3</sup>	200mg/m <sup>3</sup>	Hungarian decree No. 25/2000 (IX.30)
Ireland	200 ppm	400 ppm*	Health and Safety Authority – Code of Practice for the Chemical Agents Regulation (Ireland)
Spain	200 ppm (500 mg/m <sup>3</sup> )	400 ppm (1000 mg/m <sup>3</sup> )	Limit Values Spain, Royal Decree 374/2001

\*15-minute average value / reference period

†Inhalable fraction and vapour

Biological limits, if available:

Not available.

Recommended monitoring procedures, if available:

Not available.

Additional exposure limits under the conditions of use, if available:

Not available.

## 8.2 Exposure controls

The following information applies for the uses indicated in sub-section 1.2 of this Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

<b>Engineering measures:</b>	Use in well-ventilated areas / provide adequate general and local exhaust.
<b>Personal Protective Equipment</b>	
<b>Eye/face protection:</b>	Tightly fitting safety goggles to an approved standard. Face shield to an approved standard.
<b>Respiratory protection:</b>	In the case of vapour formation, use a respirator with an approved filter; respirator with a vapour filter (EN 141), respirator with ABEK filter.
<b>Hand protection:</b>	Wear chemical-resistant, impervious gloves to an approved standard: Suitable material: Nitrile rubber; break-through time: > 480 minutes. Take note of the information provided by the producer concerning permeability and break-through times, and of special workplace conditions (mechanical strain, duration of contact).
<b>Other skin and body protection:</b>	Choose body protection according to the amount and concentration of the substance at the work place; rubber or plastic apron, rubber or plastic boots.
<b>Hygiene measures:</b>	Do not smoke in work area. Wash hands before work breaks, immediately after handling the product and before eating, smoking and using the toilet. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. When using, do not eat, drink or smoke.
<b>Environmental Exposure Controls</b>	
<b>General advice:</b>	Do not allow to enter drainage system, surface or ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the mixture.

		Method / remark
<b>Physical State:</b>	Liquid.	-
<b>Colour:</b>	Light yellow.	-
<b>Odour:</b>	Characteristic.	-
<b>pH:</b>	12	@ 20 °C
<b>Melting point /freezing point:</b>	Not available.	-
<b>Initial boiling point and boiling range:</b>	Not available.	-
<b>Flash point:</b>	> 65 °C	-
<b>Evaporation rate:</b>	Not available.	-
<b>Flammability (solid, gas):</b>	Not applicable.	-
<b>Upper/lower flammability or explosive limits:</b>	Not available.	-
<b>Vapour pressure:</b>	23 hPa	@ 20 °C
<b>Vapour density:</b>	Not available.	-
<b>Relative density:</b>	Not available.	-
<b>Density</b>	1.06 g/cm <sup>3</sup>	@ 20 °C
<b>Solubility(ies)</b>	Fully miscible with water.	-
<b>Partition coefficient: n-octanol/water:</b>	Not available.	-
<b>Auto-ignition temperature:</b>	Not auto-flammable.	-
<b>Decomposition temperature:</b>	Not available.	-
<b>Viscosity (dynamic):</b>	30 mPa.s	@20 °C
<b>Explosive properties:</b>	Not explosive.	-
<b>Oxidising properties:</b>	Not available.	-

**9.2 Other information** No additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Exothermic reaction with strong acids. Stable under normal conditions.

According to section 2.4.2.5.1 of the IMDG Code InSpec QT RTU is not classed as a polymerising substance and is stable under normal conditions. Therefore, InSpec QT RTU can be transported at ambient temperatures.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

Acids.

### 10.6 Hazardous decomposition products

No decomposition if stored under normal conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

The following information is available regarding the mixture / product:

Skin corrosion/irritation: Species: Human keratinocytes  
Method: in vitro assay  
Results: non-corrosive  
Assessment: irritating to skin

Serious eye damage/eye irritation: Species: Human  
Method: in vitro assay  
Results: Eye irritation

The following substance data is provided for ingredients in the mixture / product:

<b>Didecyldimethylammonium chloride</b>		
<b>Acute toxicity:</b>	LD50 (Oral): 238 mg/kg	Method – OECD Test Guideline 401. Test species – rat. Exposure time – not available.
	LD50 (Dermal): 3342 mg/kg	Method – not available. Exposure time – not available.
<b>Skin corrosion / irritation:</b>	Irritating.	Method – OECD Test Guideline 404. Test species – rabbit. Exposure time – 3 minutes.
<b>Serious eye damage / irritation:</b>	No information available.	
<b>Respiratory or skin sensitisation:</b>	Not sensitising.	Method – US-EPA (Buehler Test). Test species – guinea pig.
<b>Germ cell mutagenicity:</b>	-	
<b>Genotoxicity <i>in vitro</i>:</b>	Negative.	Method – OECD Test Guideline 471 (Ames Test). Test item – <i>Salmonella typhimurium</i> .

	Negative.	Method – Chromosome aberration test in vitro. Test item – Chinese hamster ovary cells.
	Negative.	Methods – Gene mutation. Test item – Chinese hamster ovary cells.
<b>Genotoxicity <i>in vivo</i>:</b>	Negative.	Method – OECD Test Guideline 475 (Chromosome aberration test in vivo). Application route – oral Test species - rat
<b>Carcinogenicity:</b>	No information available.	
<b>Reproductive toxicity:</b>	No information available.	
<b>STOT-single exposure:</b>	No information available.	
<b>STOT-repeated exposure:</b>	No information available.	
<b>Aspiration hazard:</b>	The classifications of substances in the mixture / product are detailed in Section 3 of this Safety Data Sheet. No substances in the mixture / product are classified as an aspiration hazard (H304).	

<b>2-Aminoethanol</b>			
<b>Acute toxicity:</b>	LD50 (Oral):	1510 mg/kg	Method – not available. Test species – rat. Exposure time – not available.
	LD50 (Dermal):	1025 mg/kg	Method – not available. Test species – rabbit. Exposure time – 24 hours.
<b>Skin corrosion / irritation:</b>	Corrosive		Method – not available. Test species – rabbit. Exposure time – 4 hours.
<b>Serious eye damage / irritation:</b>	Corrosive		Method – not available. Test species – rabbit. Exposure time – not available.
<b>Respiratory or skin sensitisation:</b>	No information available.		
<b>Germ cell mutagenicity:</b>	-		
<b>Genotoxicity <i>in vitro</i>:</b>	Negative		Method – Ames test. Test item – not available.
<b>Genotoxicity <i>in vivo</i>:</b>	Negative		Method – In Vivo Micronucleus Test. Test item – not available.
<b>Genotoxicity <i>in vivo</i>:</b>	No information available.		
<b>Carcinogenicity:</b>	No information available.		
<b>Reproductive toxicity:</b>	No information available.		
<b>STOT-single exposure:</b>	No information available.		
<b>STOT-repeated exposure:</b>	No information available.		
<b>Aspiration hazard:</b>	The classifications of substances in the mixture / product are detailed in Section 3 of this Safety Data Sheet. No substances in the mixture / product are classified as an aspiration hazard (H304).		

<b>Propan-2-ol</b>		
<b>Acute toxicity:</b>	LD50 (Oral):	3570 mg/kg
	LD50 (Dermal):	> 2000 mg/kg
		Method – not available. Test species – rat. Exposure time – not available.
		Method – not available. Test species – rabbit.



		Exposure time – not available.
	LD50 (Inhalation): > 25 mg/l (vapour)	Method – OECD Test Guideline 403. Test species – rat. Exposure time – 6 hours.
<b>Skin corrosion / irritation:</b>	Not irritant.	Method – OECD Test Guideline 404. Test species – rabbit.
<b>Serious eye damage / irritation:</b>	Irritant.	Method – OECD Test Guideline 405. Test species – rabbit.
<b>Respiratory or skin sensitisation:</b>	Skin contact: Not sensitising.	Method – OECD Test Guideline 406 (Buehler test). Test species – guinea pig.
<b>Germ cell mutagenicity:</b>	-	
<b>Genotoxicity <i>in vitro</i>:</b>	Negative – no evidence for mutagenicity.	Method – OECD Test Guideline 471.
<b>Genotoxicity <i>in vivo</i>:</b>	No information available.	
<b>Carcinogenicity:</b>	No information available.	
<b>Reproductive toxicity:</b>	No information available.	
<b>STOT-single exposure:</b>	No information available.	
<b>STOT-repeated exposure:</b>	No information available.	
<b>Aspiration hazard:</b>	The classifications of substances in the mixture / product are detailed in Section 3 of this Safety Data Sheet. No substances in the mixture / product are classified as an aspiration hazard (H304).	

## 11.2 Information on Other Hazards

### 11.2.1 Information on Endocrine Disrupting Properties

Mixture/product not classified for endocrine disruption, in accordance with Regulations ((EC) No 1907/2006, (EU) 2017/2100, (EU) 2018/605)

### 11.2.2 Information on Other Hazards

No further information

## SECTION 12: Ecological information

### 12.1 Toxicity

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

<b><u>Didcyldimethylammonium chloride</u></b>		
<b>Aquatic acute (short-term) toxicity</b>		
<b>Aquatic acute (short-term) toxicity – fish:</b>	LC50: 0.19 mg/l	Method – US-EPA. Test species – <i>Pimephales promelas</i> (Fathead minnow). Exposure time – 96 hours.
<b>Aquatic acute (short-term) toxicity – crustacea:</b>	EC50: 0.062 mg/l	Method – EPA-FIFRA (immobilisation). Test species – <i>Daphnia magna</i> (Water flea). Exposure time – 48 hours.
<b>Aquatic acute (short-term) toxicity – algae:</b>	ErC50: 0.026 mg/l	Method – OECD Test Guideline 201 (growth inhibition). Test species – <i>Pseudokirchneriella subcapitata</i> (Green algae).

		Exposure time – 96 hours.
<b>Aquatic acute (short-term) toxicity – marine species:</b>	No information available.	
<b>Toxicity to bacteria:</b>	EC0: 11 mg/l	Method – OECD Test Guideline 209. Test species – Activated sludge. Exposure time – 3 hours.
<b>M-Factor (acute):</b>	10	
<b>Aquatic chronic (long-term) toxicity</b>		
<b>Aquatic chronic (long-term) toxicity – fish:</b>	<b>NOEC:</b> 0.032 mg/l	Method – OECD Test Guideline 210. Test species – <i>Danio rerio</i> (Zebra fish). Exposure time – 34 days.
<b>Aquatic chronic (long-term) toxicity – crustacea:</b>	<b>NOEC:</b> 0.010 mg/l	Method – OECD Test Guideline 211 (reproduction test). Test species – <i>Daphnia magna</i> (Water flea). Exposure time – 21 days.
<b>Aquatic acute (short-term) toxicity – marine species:</b>	No information available.	
<b>Toxicity to bacteria:</b>	No information available.	
<b>M-Factor (chronic):</b>	1	

<b>2-Aminoethanol</b>		
<b>Aquatic acute (short-term) toxicity</b>		
<b>Aquatic acute (short-term) toxicity – fish:</b>	LC50: 150 mg/l	Method – not available. Test species – <i>Oncorhynchus mykiss</i> (Rainbow trout). Exposure time – 96 hours.
<b>Aquatic acute (short-term) toxicity – crustacea:</b>	EC50: 120 mg/l	Method – OECD Test Guideline 202 (immobilization). Test species – <i>Daphnia magna</i> (Water flea). Exposure time – 24 hours.
<b>Aquatic acute (short-term) toxicity – algae:</b>	EC50: 15 mg/l	Method – not available. Test species – <i>Desmodesmus subspicatus</i> (Green algae). Exposure time – 72 hours.
<b>Aquatic acute (short-term) toxicity – marine species:</b>	No information available.	
<b>Toxicity to bacteria:</b>	EC50: > 1000 mg/l	Method – OECD Test Guideline 209 (respiration inhibition). Test species – Activated sludge. Exposure time – 3 hours.
	EC10: 6300 mg/l	Method – DIN 38412 Part 8. Test species – <i>Pseudomonas putida</i> . Exposure time – 16 hours.
<b>Aquatic chronic (long-term) toxicity</b>		
<b>Aquatic chronic (long-term) toxicity – fish:</b>	No information available.	
<b>Aquatic chronic (long-term) toxicity – crustacea:</b>	No information available.	
<b>Aquatic acute (short-term) toxicity – marine species:</b>	No information available.	
<b>Toxicity to bacteria:</b>	No information available.	

<b>Propan-2-ol</b>		
<b>Aquatic acute (short-term) toxicity</b>		
<b>Aquatic acute (short-term) toxicity – fish:</b>	LC50: > 100 mg/l	Method – not available. Test species – <i>Pimephales promelas</i> . Exposure time – 48 hours.
<b>Aquatic acute (short-term) toxicity – crustacea:</b>	EC50: > 100 mg/l	Method – not available. Test species – <i>Daphnia magna Straus</i> . Exposure time – 48 hours.
<b>Aquatic acute (short-term) toxicity – algae:</b>	EC50: > 100 mg/l	Method – not available. Test species – <i>Scenedesmus quadricauda</i> . Exposure time – 72 hours.
<b>Aquatic acute (short-term) toxicity – marine species:</b>	No information available.	
<b>Toxicity to bacteria:</b>	EC50: > 1000 mg/l	Method – not available. Test species – Activated sludge. Exposure time – not available.
<b>Aquatic chronic (long-term) toxicity</b>		
<b>Aquatic chronic (long-term) toxicity – fish:</b>	No information available.	
<b>Aquatic chronic (long-term) toxicity – crustacea:</b>	No information available.	

## 12.2 Persistence and degradability

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

<b>Didcyldimethylammonium chloride</b>		
<b>Biodegradability:</b>	72%	Readily biodegradable.
		Method – OECD Test Guideline 301 B. (Modified Sturm Test). Testing period – 28 days.
	93.3%	-
		Method – Die-away test. Testing period – 28 days.
	91%	-
		Method – OECD Test Guideline 303 A. (OECD Confirmatory Test). Testing period: 24 – 70 days.
The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.		

<b>2-Aminoethanol</b>		
<b>Biodegradability:</b>	>80%	Readily biodegradable.
		Method – OECD Test Guideline 301 B. Testing period – 19 days.

<b>Propan-2-ol</b>		
<b>Biodegradability – aerobic conditions:</b>	DT50: 95% in 21 days – readily biodegradable.	Method – OECD Test Guideline 301 E

### 12.3 Bioaccumulative potential

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

<u>Propan-2-ol</u>			
Partition coefficient:	n-octanol / water (Log K <sub>ow</sub> ):	0.05 – no bio-accumulation expected.	OECD Test Guideline 107
Bioconcentration Factor (BCF):	No information available.		

### 12.4 Mobility in soil

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

<u>Didecyldimethylammonium chloride</u>		
Behaviour in environmental compartments:	Mobility in soil.	Method – US-EPA

<u>2-Aminoethanol</u>		
Behaviour in environmental compartments:	No information available.	Method – not available.

<u>Propan-2-ol</u>		
Behaviour in environmental compartments:	Potential for mobility in soil; soluble in water	Method – not available.

### 12.5 Results of PBT and vPvB assessment

The mixture contains no components that are known to be Persistent, Bioaccumulative and Toxic (PBT), or very Persistent and very Bioaccumulative (vPvB).

### 12.6 Endocrine Disrupting Properties – Environment

Mixture/product not classified for endocrine disruption, in accordance with Regulations ((EC) No 1907/2006, (EU) 2017/2100, (EU) 2018/605)

### 12.7 Other adverse effects

No additional information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents / container in accordance with local / national regulations. Contact waste disposal services.

## SECTION 14: Transport information

**General advice:** Not classified as dangerous goods for transport.

	ADR/RID:	IMDG:	ICAO/IATA:	ADN:
14.1 UN number:	Non-dangerous goods for transport.			
14.2 UN proper shipping name:	n/a			

<b>14.3</b>	<b>Transport hazard class(es):</b>	n/a
<b>14.4</b>	<b>Packing group:</b>	n/a
<b>14.5</b>	<b>Environmental hazards</b>	
	<b>Environmentally hazardous:</b>	No
	<b>Marine pollutant:</b>	No
<b>14.6</b>	<b>Special precautions for user:</b>	n/a
<b>14.7</b>	<b>Maritime transport in bulk according to IMO instruments:</b>	n/a

## SECTION 15: Regulatory information

This Safety Data Sheet is compiled in accordance with the requirements of Regulation (EC) No 1907/2006 (REACH), amended by Regulation (EU) 2020/878.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contamination class (Germany): WGK 2: water endangering.

### 15.2 Chemical safety assessment

Not available for this product / mixture.

## SECTION 16: Other information

*The information is given in good faith and is based upon current available data. The suitability of this product for any particular use is not suggested. The user must determine if the product is correct for any particular application; the information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This document is not a warranty or specification. This document does not constitute a guarantee for any specific product features and does not establish a legally binding contract.*

**Version:** 7.0/EN

**Revision Date:** 2023-10-10

### Revision Note:

The following updates have been made in this revision of the Safety Data Sheet: Sections 1.1 and 1.3, Sections 2.1 and 2.2, Section 11.1.

### Key literature references and sources for data:

Safety Data Sheet (Ver. 6.0), the ECHA classification and labelling Inventory, the Health and Safety Executive's (UK) EH40/2005 Workplace exposure limits, GESTIS Substance Databased (Occupational Exposure Limits).

### Full text of the H and EUH phrases mentioned in section 3:

- H225 – Highly Flammable liquid and vapour.
- H301 – Toxic if swallowed.
- H302 – Harmful if swallowed.
- H312 – Harmful in contact with skin.
- H314 – Causes severe skin burns and eye damage.
- H318 – Causes serious eye damage.
- H332 – Harmful if inhaled.
- H336 – May cause drowsiness or dizziness.
- H400 – Very toxic to aquatic life.
- H411 – Toxic to aquatic life with long-lasting effects.
- H412 – Harmful to aquatic life with long-lasting effects.

### Abbreviations and acronyms:

- PBT – Persistent, Bioaccumulative and Toxic.

- REACH number – REACH registration number, without supplier specific part.
- vPvB – very Persistent and very Bioaccumulative.
- STOT – specific target organ toxicity.
- TWA – Time weighted average.
- STEL – Short term exposure limit.
- ADR / RID – European Agreement concerning the International Carriage of Dangerous Goods by Road / Regulation concerning the International Carriage of Dangerous Goods by Rail.
- IMDG – International Maritime Dangerous Goods Code.
- ICAO / IATA – International Civil Aviation Organization / International Air Transport Association.
- ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
- MARPOL – International Convention for the Prevention of Pollution from Ships.

**End of Safety Data Sheet**